www.roofcoatxtra.co.uk




SAVE **£££**s

WITH

Roofcoat Ktra

Sealing your roof just got... Easier, quicker, cheaper and better



Roofcoat Xtra all-weather protection To Order FREEPHONE 0800 02 88 272



JUST ONE COAT GIVES TOTAL PROTECTION

ADVANTAGES

- Ready to use
- Simple "Brush On" application
- Provides long-term protection
- Instant waterproof protection immediately after application
- Save £££s on roofing costs
- Excellent adhesion and durability
- Can be used for patch repair or the complete roof coating
- Single coat application seamless finish
- Long life seals for up to 10 years*
- All year All weather protection
- All quality products independently tested





BEFORE

AFTER

IDEAL FOR D.I.Y SIMPLE BRUSH ON APPLICATION Planw



available in Grey or Black colours Seals up to 5 years (1 coat) *Seals up to 10 years (2 coats)

Sealing your roof just got... Easier, quicker, cheaper and better

Roofcoat Xtra is the latest development from Planwell, one of the UK's leading roofing suppliers. Advanced, flexible Roofcoat Xtra is tough, durable and cost-effective, easily applied to almost any surface, it ensures effective, fast waterproofing. Roofcoat Xtra is designed to extend the life of an existing roof.

SEALS ASBESTOS and FIBRE CEMENT ROOFS

Available in SMOOTH and STANDARD COAT WITH FIBRES

STANDARD COAT

 Fibre reinforced coating to bridge gaps and cracks (Brush applied)

SMOOTH COAT

- Can be Brush, Roller, Squeegee or Spray applied
- Instant waterproof protection immediately after application
- Provides long-term protection
- Available in grey & black colours Other colours to order
- Available in 5kg & 20kg containers

DELIVERED THROUGHOUT THE UK







AFTER

SAVE *£££*s on Roofing Costs!



Advanced, flexible **RoofcoatXtra** is tough, durable and cost-effective, easily applied to almost any surface - even in damp conditions - it ensures effective, fast waterproofing.



NO MORE LEAKING ROOFS... WITH PLANWELL'S ROOFCOAT XTRA

- FACT Our weather is getting wetter
- FACT there is no better D.I.Y. protection for your flat roofs than

PLANWELL's ROOFCOAT XTRA

Planwell Roofing Supplies

is now one of the COUNTRY'S PREMIER SUPPLIERS of liquid applied flat roof systems.

Planwell Roofcoat Xtra

will seal your flat roof for up to 10 years* A simple, seamless coating system, **Roofcoat Xtra** eliminates all short comings and short life of traditional felt and bitumen materials.

Roofcoat Xtra delivers real long term peace of mind and value for money. Ideal for D.I.Y. application, **Roofcoat Xtra** is the answer to all flat roof problems whatever their shape and size.

For a better roof, it has to be **Planwell's Roofcoat Xtra**.

FLAT ROOFING MADE EASY SIMPLE STEPS





Roofcoat Xtra ADVANTAGES

- Great Prices SAVE £££s
- Seals for up to 10 years*
- Fast and easy to use
- All-year, all-weather application
- Cold Applied for extra safety
- Fibre Reinforced for strength
- Tough, attractive finish
- Simple brush, roller or squeegee application



Planwell's Roofcoat Xtra can be used for local repairs or to weatherproof almost any flat or pitched roof.

- Built-up felt roofing
- Roofing asphalt
- Asbestos/cement roof sheeting
- Concrete roofs
- Box/valley gutters
- Plastic rainwater goods
- Fibre cement gutters
 Corrugated roofs
- Concrete finlock gutters







Roofcoat Stra

Application

Roofcoat Xtra is best applied by brush, roller or squeegee and can be laid in one or two coats depending on requirements. No specialist training is required. The system will adhere to most *aged* surfaces including felt, asphalt, glass fibre, wood, lead, metal, PVC, slate, brickwork, cement and tiles. Some asbestos and fibre cement roofs may require a primer before application. Other surfaces may require some preparation work (see application instruction leaflet for further details). Application instructions are available with all orders placed.

Not for use on Walkways or Balconies, new asphalt or new bitumen surfaces or timber substrates, new uPVC, GRP, Copper, Brass or Lead.

Coverage Rates

For full surface protection apply 1 or 2 overall coats by brush, roller or squeegee. Recommended minimum coverage 1Kg per m2. *Seals up to 10 years is based on 2 coats.

Cure Time

Curing takes 6-7 days depending on ambient temperature and ventilation. Once cured the system will remain tack free and in a flexible condition.

Colours

Roofcoat Xtra is available in 20kg and 5kg tins in Standard Grey & Black colours. Also available in other colours - please contact Planwell for further details.

Water Repellency

Rainfall immediately after application has no adverse effect on this product.

Shelf Life

Up to 2 years if stored correctly in an unopened container.

Roofcoat Xtra **STANDARD COAT** with fibres, brush applied

DESCRIPTION

A high quality solvent based coating that gives a roof long-term waterproofing protection with added fibres that interlace to cover up small gaps or cracks.

USES

Ready for use on flat roofs, pitched roofs, weathered asphalt and bituminous surfaces, gutters, concrete, brickwork, fibreglass, felt, slate, metal (Galvanised and Ferrous), aged uPVC.

Brush applied.

Not for use on Walkways or Balconies, new asphalt or new bitumen surfaces or timber surfaces, new uPVC, GRP, Copper, Brass or Lead.

Standard Coat: for an all over covering on a roof.

COLOUR RANGE

• Grey and Black. Other colours to order.

PACK SIZE

5kg and 20kg containers.

SPREADING RATE

- Standard Coat: approximately 1 kg per metre² dependent on substrate.
- Aggregated Coat: Available on request in above colours.
- Smooth Coat: Available on High Build and Standard Coat (without fibres).

DRYING TIME AND APPLICATION

- Application temperature should be between 5°C and 25°C.
- Drying time up to 6-7 days depending on temperature and thickness of coating.
- The product may remain slightly soft for a further period depending on climatic conditions, this is not detrimental to the waterproofing qualities of the product.
- Some very porous surfaces may require a primer before application, ie. on asbestos type roofs.

WATER REPELLENCY

- Rainfall immediately after application has no adverse effect. **SHELF LIFE**
- Up to 2 years if stored correctly in an unopened container.

MATERIAL SAFETY DATA SHEETS AVAILABLE ON REQUEST





SIMPLY APPLIED BY BRUSH, ROLLER or SQUEEGEE



SEALED INSTANTLY!

Roofcoat Xtra SMOOTH for spray, brush or roller application

A high quality solvent based roof coating that gives long-term waterproofing protection. This Smooth Coat is recommended for application and easy flow on very large roofs.

USES

Ready for use on flat roofs, pitched roofs, weathered asphalt and bituminous surfaces, gutters, concrete, brickwork, fibreglass, felt, slate, metal (Galvanised and Ferrous), aged uPVC.

• Can be brush, roller or spray applied.

Not for use on Walkways or Balconies, new asphalt or new bitumen surfaces or timber surfaces, new uPVC, GRP, Copper, Brass or Lead.

High Build Coat: for patch repair/all over roof coating. Standard Coat: for an all over covering on a roof.

COLOUR RANGE

Grey, Black, Solar Reflective White and Transluscent.

Other colours to order.

5kg and 20kg containers.

SPREADING RATE

- *High Build Coat:* approximately 1 kg per metre² dependent on substrate.
- Standard Coat: approximately 1 kg per metre² dependent on substrate.
- Spray recommendation: Can be airless sprayed at an atomising pressure of 2000psi with a tip size of 19 thou using a 3/8 inch hose up to 30 metres maximum length (consult manufacturer for further details).

DRYING TIME AND APPLICATION

- Application temperature should be between 5°C and 25°C.
- Drying time up to 6-7 days depending on temperature and thickness of coating.
- The product may remain slightly soft for a further period depending on climatic conditions, this is not detrimental to the waterproofing qualities of the product.
- Some very porous surfaces may require a primer before application, ie. on asbestos type roofs.

WATER REPELLENCY

- Rainfall immediately after application has no adverse effect.
- SHELF LIFE
- Up to 2 years if stored correctly in an unopened container.

MATERIAL SAFETY DATA SHEETS AVAILABLE ON REQUEST



Plantyall's top quality Roofcoat **Ktra**

JUST ONE COAT GIVES TOTAL PROTECTION

ADVANTAGES

- Ready to use, simple brush-on application
- Provides long-term protection
- Instant waterproof protection immediately after application
- Excellent adhesion and durability
- Can be used for patch repair or the complete roof coating

• available in Grey

or Black colours

- Single coat application seamless finish
- Long life seals for up to 10 years*
- All quality products independently tested

SEALS....

- FLAT ROOFS
- GLASS FIBRE ROOFS
- ASBESTOS/ FIBRE CEMENT ROOFS
- GUTTERS AND VALLEYS

```
Seals up to 5 years (1 coat) *Seals up to 10 years (2 coats)
```

IS MONTH's SPECIAL OFFER

08000

20kg DRUM (1 Coat covers 20 square metres)



AFTER

To view our full ROOFCOAT brochure, go to: www.planwell.co.uk Prices for UK Mainland deliveries only

Roofcoat Xtra

Roofcoat Xtr

IDEAL FOR D.I.Y.

SIMPLE BRUSH ON

APPLICATION

Roofcoat

G(0)

LL MAJOR



SEALS

FLAT ROOFS

FOR UP TO

10 YEARS*



for total peace of mind... ...whatever the weather

SEALS ROOFS & GUTTERS FOR UP TO 10 YEARS*

Roofcoat <u>tra</u> all-weather protection



FREEPHONE 0800 02 88 272 **Planwell Roofing Supplies Ltd**

"The Roofing Centre" March Road Industrial Estate Buckie AB56 4BU Tel: 01542 832170 Fax: 01542 832182 email: enquiries@planwell.co.uk www.planwell.co.uk